ELSEVIER

Carbohydrate Research 294 (1996) C1

CARBOHYDRATE RESEARCH

Author index

Blattner, R. 29

Casu, B. 15

Dais, P. 1

Furneaux, R.H. 29

Gellerstedt, G. 41
Guerrini, M. 15

Hashimoto, M. 95
Hatanaka, Y. 95

Kanaoka, Y. 95

Lehmann, J. 65
Li, J. 41
Lynch, G.P. 29

Mikros, E. 1

Naggi, A. 15
Nakatsubo, F. 53
Narimatsu, H. 95
Nishihara, S. 95
Nishimura, T. 53

Santini, F. 15
Sauriol, F. 1

Torri, G. 15

Weitzel, U.P. 65
Wilkinson, S.G. 109
Winn, A.M. 109

Yates, E.A. 15

ELSEVIER

Carbohydrate Research 294 (1996) C3–C4

CARBOHYDRATE RESEARCH

Subject index

Allosamidin analogues, synthesis
Synthesis of allosamidin analogues 29
O-Antigen
Structure of the O20 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 109
Asperlin
Conformational analysis of asperlin by NMR spectroscopy and molecular modeling 1
Avidin-biotin system
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95

Cello-oligosaccharide
First synthesis of cellooctaose by a convergent synthetic method 53
Chemiluminescent detection
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95
Chitinase inhibition
Synthesis of allosamidin analogues 29
Colorimetry
An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps 41
Concanavalin A
Synthesis and application of α-D-mannosyl clusters as photoaffinity ligands for mannose-binding proteins: Concanavalin A as a model receptor 65
Conformation
Conformational analysis of asperlin by NMR spectroscopy and molecular modeling 1
Convergent synthetic method
First synthesis of cellooctaose by a convergent synthetic method 53

4-Deoxy-L-*threo*-hex-4-enopyranosyluronic acid
An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps 41
Diazirines
Synthesis and application of α-D-mannosyl clusters as photoaffinity ligands for mannose-binding proteins: Concanavalin A as a model receptor 65

β-(1 → 4)-Galactosyltransferase
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95
Glycosylation
First synthesis of cellooctaose by a convergent synthetic method 53
Glycosyl fluoride
First synthesis of cellooctaose by a convergent synthetic method 53
Glycosyl imidate
First synthesis of cellooctaose by a convergent synthetic method 53

Heparin
^{1}H and ^{13}C NMR spectral assignments of the major sequences of twelve systematically modified heparin derivatives 15
High-vacuum system
First synthesis of cellooctaose by a convergent synthetic method 53

Insecticides
Synthesis of allosamidin analogues 29

Kraft pulps
An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps 41

Labeled protein retrieval
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95
Lipopolysaccharide
Structure of the O20 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 109

Mannose-binding proteins
Synthesis and application of α-D-mannosyl clusters as photoaffinity ligands for mannose-binding proteins: Concanavalin A as a model receptor 65
Mannosyl clusters
Synthesis and application of α-D-mannosyl clusters as photoaffinity ligands for mannose-binding proteins: Concanavalin A as a model receptor 65
Molecular modeling
Conformational analysis of asperlin by NMR spectroscopy and molecular modeling 1

NOESY
Conformational analysis of asperlin by NMR spectroscopy and molecular modeling 1
Nuclear magnetic resonance spectroscopy
^{1}H and ^{13}C NMR spectral assignments of the major sequences of twelve systematically modified heparin derivatives 15

Phenyldiazirine
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95
Photoaffinity labeling
Synthesis and characterization of a carbene-generating biotinylated *N*-acetylglucosamine for photoaffinity labeling of β-(1 → 4)-galactosyltransferase 95
Photoaffinity labelling
Synthesis and application of α-D-mannosyl clusters as photoaffinity ligands for mannose-binding proteins: Concanavalin A as a model receptor 65
Polysaccharides
^{1}H and ^{13}C NMR spectral assignments of the major sequences of twelve systematically modified heparin derivatives 15

Quantitative analysis
An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps 41

Stenotrophomonas maltophilia
Structure of the O20 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 109

Xylan
An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps 41